



Image depicts 12x12 inch section.

© 2024 Wolf-Gordon Inc. All Rights Reserved

Dorset REDWOOD

Category: Upholstery

Material: Natural/Synthetic Blend

Physical Properties

Content: 100% Wool

Backing: Unbacked

Width: 55"

Weight: 13.14 oz per linear yards

Performance

Fire Rating: ASTM E84 (UnAdhered) Class A

Flame Spread: 10

Smoke Developed: 60

Fire Rating: Passes NFPA 286

Flame Resistance: Passes Cal TB 117-2013, AB 2998 compliant -
Passes NFPA 260/UFAC

Wet and Dry Crocking: Passes AATCC 8 - Dry: Grade 4; Wet: Grade 3

Breaking Strength: ASTM D5034 - Warp: 95.2 lbs; Weft: 97.5 lbs

Seam Slippage: ASTM D4034 - Warp: 68 lbs; Weft: 70.5 lbs

Abrasion: 46,000 cycles, Martindale

Pilling: ASTM D3511 (Brush Pill) - Grade 4.5

Colorfastness to Light: Passes AATCC 16 - Grade 4 @ 40 hours

Cleaning Code: S = Clean only with a water-free dry cleaning solvent

Noise Reduction Coefficient: 1.05

Sustainability

Free of conflict minerals, flame-retardant chemicals, heavy metals, PFAS/PFOA/PFOS, phthalates (BBP, DBP, DEHP, DIDP, DINP, DnHP, DnOP), solvents